



TITAN. NEW. HORIZONTAL.

The fully automatic screed system




TITAN^{FL}

More efficiency. More quality. More profitability.

- + High-quality workmanship with many stainless steel components.
- + Solidly built – quality made in Germany.
- + Computer-controlled, fully automatic weighing, mixing and conveying in consistently high quality.
- + Easy to operate, proven in practice.
- + Cost savings thanks to shorter setup times, lower material and personnel costs.
- + Strong advertising impact with individual paintwork and lettering.
- + Investment pays for itself in a short time.

MAXIMUM FUNCTIONALITY. HIGH EFFICIENCY.



Hose reels for service water, compressed air and high-pressure cleaner



Centrifugal water pump with stainless steel impeller, up to 760 l/min, up to 6 bar. Aluminium water tank, 860 litre capacity




Heating mat for additive containers



Powerpack (stainless steel hood), external refuelling DEUTZ drive engine, output 55.4 kW




Control technology



1st axle side lift, 2nd + 3rd axles with forced steering



Remote control with display




STANDARD EQUIPMENT

HORIZONTAL SCREED SYSTEM FOR FLOWING SCREED

EXTREMELY DURABLE.




Flow sensor for precise dosing of additives



Rack for cleaning accessories



Storage box with adjustable dividers (stainless steel)



Rotary flap mixing tank DN 300, drive outside the dirt zone



Stainless steel mixing tank, 460 litre capacity, easy cleaning, flaps open completely
Stainless steel conveying tank, 500 litre capacity

TECHNICAL DATA TITAN FL

- DEUTZ drive engine, output 55.4 kW
- Body sizes: 28 m³ or 32 m³
- Length 11,400 mm x width 2,550 mm x height 4,000 mm (32 m³ body)
- Weight 12,500 kg (depending on equipment)
- Conveying screw 7515 or 2L8
- Output up to 12 m³/h
- Fuel tank 300 L

Many further technical configurations and customisations available, e.g. stainless steel toolboxes with pull-out drawer, divided binder chamber, reversing camera, second water tank (1,720 litres in total)



PREMIUM EQUIPMENT

Solidly built – quality made in Germany



EQUIPMENT FEATURES

- Double-walled aluminium body, weight- and volume-optimised
- Electric sliding roof with radio remote control
- Compressed air reservoir, 60 litres, supplied by the towing vehicle
- Work lights 120 W
- Powerpack frame with KTL coating
- Stainless steel hose reel for up to 100 m of conveying hose
- Mixing tank with large hydraulic motor, output up to 12 kW
- Quantity recorded via 4 load cells
- Binder screws DN 200
- Aluminium water tank, 860 litre capacity

TITAN^{FL}

BMS Bau-Maschinen-Service AG
Daimlerstraße 10 · D-33378 Rheda-Wiedenbrück
Phone: +49 (0) 5242 9646-0
E-mail: info@bmsbaumaschinen.de

Follow us on social media:

